Shale oil development and production

1168
p.o. box XXX

• vernal, utah 84078

March 2, 1983

Mr. Thomas N. Tetting
Engineering Geologist
Division of Oil, Gas and Mining
4241 State Office Building
Salt Lake City, UT 84114

DIVISION OF GAS & MINING

Dear Mr. Tetting:

Thank you for the Divisions' prompt response to Geokinetics' (GKI) application submittals for the proposed Seep Ridge and Wolf Den projects. As you are aware, the applications were lacking a considerable amount of information. It is GKI's intent to formulate, acquire, and develop this information for the Division prior to and following the completion of the final project designs. As yet, a date has not been set for their completion, however, GKI will keep the Division abreast of proposed project schedules.

GKI is continuing its research and development project, Experimental Site #1, with plans to ignite two-2 acre in situ retorts (#27 and #28) during 1983. These retorts were blasted in 1982 and their respective locations were provided to you in GKI's 1982 annual operations and progress report.

With the burning of two larger retorts, a substantial increase in process water production will occur and require an additional facility to safely handle the increase. To this end, GKI submitted to the Utah Department of Health an application for the construction of a 2.5 acre evaporation pond. For your review, enclosed are copies of the application, as well as the letter of approval.

Although it was not stated in the permit application, construction plans have included the removal and stockpile of topsoil mixed with vegetation (approximately 12 inches) for land rehabilitation purposes. A portion of the stockpile will be utilized during the fall of 1983 in GKI's revegetation efforts.

Preliminary plans are also being developed to investigate decomposistion rates and nutrient immobilization within the stockpile. Final plans will be provided to the Division for review before initiation of the investigation.

Mr. Thomas N. Tetting March 2, 1983 Page 2 The topsoil stockpile will employ protection measures to limit both wind and water erosion. These measures will include (depending upon the specific control requirements of the decomposition and nutrient investigation) the use of temporary seed mixes as cover crops, or the use of soil binders, as well as surface runoff and sediment control. Final stockpile protection plans will be submitted to the Division. Should you have any questions, comments, suggestions, etc., in regard to the above information, please feel free to call me at 328-9955. Sincerely, William L. Shaver Environmental Engineer WLS/ks Enclosures

William L. Sharrer

Scott M. Matheson Governor



James O. Mason, M.D., Dr.P.H.

Executive Director,
Department of Health

801-533-6111

Marv H. Maxell, Ph.D, Acting Director, Division of Environmental Health (801) 533-6121

MEMBERS

Grant K. Borg, Chairman W. Lynn Cottrell Harold B. Lamb Marv H. Maxell, Ph.D. Noel T. Robins Gerald L. Sermersheim Joseph A. Urbanik C. Arthur Zeldin Mrs. Lloyd G. Bliss STATE OF UTAH
DEPARTMENT OF HEALTH

OFFICE OF ENVIRONMENTAL HEALTH
Utah Water Pollution Control Committee

150 West North Temple, P.O. Box 2500, Salt Lake City, Utah 84110-2500

February 10, 1983 533-6146 Calvin K. Sudweeks Executive Secretary (801) 533-6146 Rm 410

William L. Sharrer Environmental Engineer Geokinetics Inc. 582 North Vernal Avenue P.O. Box 889 Vernal, UT 84078

> Re: Construction Permit Process Wastewater Evaporation pond #2

Dear Mr. Sharrer:

We have reviewed your letter of January 24, 1983. You propose to start construction of the evaporation pond at a later date than that outlined in the construction permit issued September 21, 1982.

Since the pond will be constructed according to the original design there appears to be no objection to this procedure and the construction permit is in order as originally issued.

Sincerely,

UTAH WATER POLLUTION CONTROL COMMITTEE

Calvin K. Sudweeks Executive Secretary

EHP:gb

cc: Rand Webb/Uintah Basin DHD 1850

GEOKINETICS INC. shale oil development and production
1168
582 north vernal avenue • p.o. box REX • vernal, utah 84078 • telephone (801) 789-0806

January 24, 1983

Mr. Calvin K. Sudweeks
Executive Secretary

Mr. Calvin K. Sudweeks
Executive Secretary
Utah Water Pollution Control Committee
150 W. North Temple
Salt Lake City, UT 84103

Dear Mr. Sudweeks:

On September 21, 1982 Geokinetics Inc. was issued a permit to construct a process wastewater evaporation pond for an increase in production at its research and development facility. The pond was designed for a period of twelve (12) months (12/1/82 - 11/30/83) with a total volume capacity of approximately 120,000 barrels. However, due to various uncontrolled circumstances, the proposed increase in production did not take place according to schedule, but rather has been delayed until April 1, 1983. A revised schedule of production depicting this change has been enclosed for your review (Figure 1).

The change will result in a net decrease in total water production (utilizing the new pond) from approximately 134,000 to 128,000 barrels. However, Geokinetics' intends to construct the pond according to the original design, thus allowing for an even greater margin of safety. Construction of the pond should commence during the latter part of February, 1983 and be completed during March, 1983.

Geokinetics respectfully submits this change in plans for your review and consideration. Should you require any additional information, please feel free to contact us at 801-646-3401.

Sincerely,

William L. Sharrer

William L. Sharrer Environmental Engineer


WS/ks


Enclosure

bcc: R. Lundberg

Vernal Kamp

FIGURE 1 - PROPOSED PERIOD OF INCREASED WATER PRODUCTION (REVISED)





EXISTING ENPORATION POND (POND # 1)

Z

PROPOSED ENVIONATION FOND (POND § 2)

m

. TABLE 1. (revised)

PROJECTED WATER PRODUCTION BETWEEN APRIL 1, 1983 AND APRIL 30, 1984

DATE	DAILY PRODUCTION	MONTHLY PRODUCTION		
APR MAY	200 400	6,000 - 12,400		
JUN	400	12,000 12,400	Production increase where an additional	
AUG SEP	400 400	12,400 12,000	pond is required (128,000 bbls.)	
OCT NOV	400	12,400 12,000	ĺ	
DEC JAN	400	12,400 12,400		
FEB MAR	400 400	11,600_		
APR	200	12,400 6,000		

TOTAL

146,400

(or surface area).

TABLE 3. (revised)

WATER BALANCE DETERMINATION (all values expressed in barrels)

		NET EVAPORATION TOTAL (Accumulative)			
DATE	PRODUCTION	Pond 1	Pond 2	Pond 1	Pond 2
MAR		-1,150		23,500	
APR	8,000	2,500	3,350	21,000	2,650
MAY	12,400	5,650	7,600	15,350	7,450
NUT	12,000	6,450	7,150	8,900	10,300
JUL	12,400	6,150	9,150	2,750	13,550
AUG	1.2,400	4,600	7,300	0	18,650
SEP	12,000		5,900	0	24,750
OCT	12,400		2,250	0	34,900
NOV	12,000		-1,200	0	48,100
DEC	12,400	···	- 850	0	61,350
JAN	12,400		-1,100	0	74,850
FEB	11,600		-1,250	. 0	87,700
MAR	12,400	-1,000	-1,900	13,400	89,600
APR	6,000	2,300	4,150	17,100	85,450
TOTAL	146,400	25,500	42,550	17,100	85,450
		ing Pond sed Pond	 Monthly net pond evaporation was estimated using the previous months level 		

FIGURE 3 - STORAGE CURVE

